

**ERIBA Ltd**  
The Priory  
A417 Faringdon Road  
LECHLADE  
Glos. GL7 3EY  
Tel: 01367 253453 / Fax: 01367 253454  
[www.eriba-uk.com](http://www.eriba-uk.com) / [sales@eriba-uk.com](mailto:sales@eriba-uk.com)



HYMER AKTIENGESELLSCHAFT  
Postfach 1140  
88330 Bad Waldsee  
Telefon 07524/999-0  
Telefax 07524/999-312

**ERIBA**  
A Product of the HYMER Group

Some vehicles illustrated are fitted with optional equipment, which is subject to surcharge. Details relating to delivery, appearance, performance, measurements and weights are correct at the time of going to press, based on the British Standards for sale and registration in United Kingdom. Some vehicles depicted may not be registrable in all European countries. Your ERIBA dealer will gladly give you information about standard models in your own country and the registration laws. Variations due to manufacturing tolerances are possible and allowed. ERIBA reserves the right to make changes in design or technical improvements without prior notice.

Konzeption und Gestaltung  [www.nachwerbung.de](http://www.nachwerbung.de) 09/2003/15.000 GB



**ERIBA**  
A Product of the HYMER Group

Eriba-Touring 2004



## Eriba-Touring

The extraordinary attraction of this legendary range is based upon the unusual. Concept: stability, compact, low profile, perfectly aerodynamic and superb towing characteristics.

The unique construction principle of the tubular steel frame structure that makes up the skeleton of the ERIBA Touring caravans has proved itself over the decades.

The elevating roof design, lowered for touring, ensures the caravans low profile and unrivalled road holding qualities.

## Eriba-Touring

Small Exterior – Spacious Interior  
The ERIBA Touring range is again and again admired for the size of their interior layouts, unexpectedly larger than the Touring models deceptively compact exterior would suggest. All the necessities for comfortable living contained in a compact and functional unit.

On this page the new, attractive interior layout that is offered in the Troll 555 GT, can be seen. The rounded "shell shaped" table is moveable and rests on a pedestal.





## ERIBA Touring



A "petite" tourer  
that makes a BIG  
impression!

The Touring range, from the small Puck to the largest Troll, offers a total of 29 different layouts. The Touring range excels itself through its commitment to functionality. The superfluous has no place here!




An upholstery of your choice

Avignon



Stockholm





## The Touring-Fifty's

### A Homage to the Fifty's



The 1950's were the era of Rock 'n' Roll. It was also the period in which the first ERIBA Touring caravans left the production line.

The Touring-Fifty's are homage to this time. With style elements typical of the era, that will bring back pleasant memories, merged seamlessly with the advances of today's technology.

The ERIBA legend lives on, with the attributes that have marked out the Touring models since their inception: compact and low profile with outstanding towing characteristics.

The unique tubular steel frame structure, a concept taken from the aeronautics industry, has already proved itself over five decades.

Touring Fifty's: Today's technology matched with Fifty's style continues the legendary ERIBA success story.

As with the models in the Touring range, the Fifty's possess all the equipment to provide you with comfortable living: a compact kitchen area with a round sink, worktop mounted tap and flush glass covered hob, 3 way fridge and heater and are available in two different layouts.



# Indeed ... Not Like Any Other!



Forty-five years ago the first Eriba caravan was conceived, built around a revolutionary concept and perfected by an aeronautics engineer. The tubular steel frame structure (as shown opposite) which makes up the skeleton of an Eriba Touring caravan, has proved itself over the decades. It is yet to be superceded as one of the best solutions ever designed to give rigidity to the whole unit.


This unique design element allows for an aerodynamic shape but also an optimum weight ratio. This gives every Eriba Touring caravan incomparable road holding properties.

The tubular steel frame structure is insulated to ensure no cold spots to attract condensation on the inner panel, and is used to mount all the furniture inside the caravan, as well as an anchor point for any external accessories which are to be fixed to the caravan.

This ensures a very long life. There are enough veteran Eriba's still on the road today to prove it!

Shown to the right is an exterior view of the Puck 120 GT, featuring the tow bar fairing, front panel stone guard and alloy wheels present on all Touring GT models.

The exterior of the GT models combines beautifully with the interiors in which the smart, smooth, curved furniture is presented in pear wood décor.



Unrivalled aerodynamics combined with low weight and a low centre of gravity give the Eriba remarkable road holding and maneuverability.



To the left, the rear light unit of the Touring Puck 120 & Touring Fifty's




Above shows a standard model with wheel trims.



The integral gas bottle locker is a feature of all the Touring models.

## ERIBA Touring – Layouts



# ERIBA Touring - Technical Details



REFREEST

\* \* M.R.O. - Unladen Weight in Kg Includes the weight of a gas cylinder and a fresh water container both to 90% of their capacity (This has been equated to 30 Kg)

	Puck 120 / 120 GT 120 Fifty's	Puck L 225 GT	Familia 310 GT	Familia 320 GT	Triton 410 GT	Triton 418 GT	Triton 420 GT	Triton 430 GT 430 Fifty's	Troll 510 GT	Troll 530 GT	Troll 540 GT	Troll 550 GT	Troll 555 GTL	Troll 555 GTV
Shipping Length	cm	409	460	460	460	511	511	511	568	568	568	568	568	568
Body Length	cm	320	355	362	362	414	414	414	471	471	471	471	471	471
External Width	cm	165	180	200	200	200	200	200	200	200	200	210	210	210
External Height (Roof Lowered)	cm	198	205	220	220	220	220	220	220	220	220	220	220	220
Internal length	cm	315	350	357	357	409	409	409	466	466	466	466	466	466
Internal Width	cm	155	170	190	190	190	190	190	190	190	190	200	200	200
Max. Headroom (Roof Raised)	cm	183	187	187	187	187	187	187	187	187	187	187	187	187
* M. R. O. - Unladen Weight	Kg	500/510/550	650	710	730	800	800	825	895	900	940	960	965	965
M. T. P. L. M. - Gross Laden Weight	Kg	650	750	850 / (0) 900	900	1200	1200	1200	1200	1200	1200	1200	1200	1200
Pay Load Allowance	Kg	150/140/100	100	140 / (0) 190	170	400	400	375	305	300	260	240	235	235
Axle		Single	Single	Single	Single	Single	Single	Single	Single	Single	Single	Single	Single	Single
Tyre Sizes		135R13 70T/155R13 79T	155R13 79 T	155R13 79T/(0)165R13 82T	165R13 82 T	195/70R14 91 T	195/70R14 91 T	195/70R14 91 T	195/70R14 91 T	195/70R14 91 T	195/70R14 91 T	195/70R14 91 T	195/70R14 91 T	195/70R14 91 T
Max. Permissible Nose Weight	Kg	75	75	75	75	100	100	100	100	100	100	100	100	100
Polystyrene Floor Insulation	mm	25	25	35	35	35	35	35	35	35	35	35	35	35
Polystyrene Wall/Roof Insulation	mm	25	25	25	25	25	25	25	25	25	25	25	25	25
Elevating Roof with Ventilation + Flyscreen	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Berths	No.	2	2	3 / BB 4	2	3 / BB 4	4	2	3 / BB 4	4	3 / BB 4	4	3	4
Front Bed Size l x w	cm	-	190 x 170	188 x 70	-	188 x 70	188 x 120	-	188 x 70	188 x 120	188 x 93	188 x 70	-	195 x 620/510
Middle Bed Size l x w	cm	-	-	-	-	-	-	-	-	-	-	183 x 120	-	183 x 120
Rear Bed Size l x w	cm	177/194 x 150	-	188 x 140	188 x 140	190 x 188	188 x 140	190 x 188	190/197 x 188	188 x 145	190/197 x 188	195 x 140	195 x 140	195 x 140
Optional Permanent Rear Bed (PB) l x w	cm	-	-	188 x 140	-	-	188 x 140	-	188 x 145	-	-	-	-	-
Optional Permanent Single Beds (SB) l x w	cm	-	-	-	-	190 x 75 (2x)	-	190 x 75 (2x)	-	190 x 75 (2x)	-	-	-	-
Optional Permanent Front Bunk Beds (BB) l x w cm	-	-	T.70/57x185 B.64/50x178	-	T.70/61x185 B.64/55x178	-	-	T.70/61x185 B.64/55x178	-	-	T.70/61x185 B.64/55x178	-	-	-
Maximum Weight Permanent Bunk Beds	Kg	-	-	40	-	40	-	-	-	-	40	-	-	-
Toilet Compartment c/w Cassette Toilet l x w cm	-	-	-	96 x 65	-	-	96 x 65	-	96 x 65	-	96 x 65	94 x 82/76	94 x 82/76	94 x 82/76
Optional Fold Out Wash Room (FW) l x w cm	-	-	-	-	-	-	96 x 42	-	96 x 42	-	96 x 42	-	-	-
Wardrobe l x h x w	cm	47 x 100 x 45	55 x 90 x 51	51.5 x 117 x 51	54 x 117 x 51	51.5 x 117 x 51	54 x 117 x 51	54 x 117 x 51	51.5 x 117 x 51	54 x 117 x 51	54 x 117 x 51	53 x 117 x 40	52 x 117 x 51	52 x 117 x 51
Windows / Opening Windows	No.	4 / 4	5 / 5	6/6	6/6	6/6	6/6	6 / 6	7/7 - FW 6/6	6 / 6 - 0 7 / 7	7/7 - 0 8/8 - FW 6/6	7/7 - FW 6/6	7/7 - 0 8/8	7/7 - 0 8/8
Cassette Blinds and Flyscreens		S	S	S	S	S	S	S	S	S	S	S	S	S
3 Way Electrolux Fridge	Ltr	60	60	70	70	70	70	70	70	70	70	70	70	70
Stainless Steel Hob Burners	No.	2	2	3	3	3	3	3	3	3	3	3	3	3
On Board Water Container(s)	Ltr	13	13	13	16	13	13	16	2 x 13	13	2 x 13	2 x 13	2 x 13	2 x 13
12 Volt Pump(s) System		S	S	S	S	S	S	S	S	S	S	S	S	S
Truma Gas Fueled Heater c/w Auto Ignition	0	0	S	S	S	S	S	S	S	S	S	S	S	S
12 Volt Halogen Lights	No.	3	4	3 / BB 4 / PB 4	4	5 / BB 6	3 / PB 4	5	4 / PB 5	5	4 / PB 5	6 / BB 7	6	7
UK 3 Pin 240 Volt Sockets	No.	2	2	3 / BB 2 / PB 2	4	3 / BB 2	3 / PB 2	4	4 / BB 3 / PB 3	3	4 / PB 3	4 / BB 3	3	3
12 Volt Sockets	No.	0	0	0	1	0	0	1	0	0	0	0	0	0

S = Standard · 0 = Optional · - = Not Applicable · PB = Permanent Bed · SB = Single Beds · BB = Bunk Beds · FW = Fold Out Wash Room.