

ERIBA Ltd
The Priory
A417 Faringdon Road
LECHLADE
Glos. GL7 3EY
Tel: 01367 253453 / Fax: 01367 253454
www.eriba-uk.com / sales@eriba-uk.com

HYMER AKTIENGESELLSCHAFT
Postfach 1140
D-88330 Bad Waldsee/Germany
Telephone (+49) 75 24/999-0
Telefax (+49) 75 24/999-3 12
www.hymmer.com

ERIBA
A Product of the HYMER Group

Some vehicles illustrated are fitted with optional equipment, which is subject to surcharge. Details relating to delivery, appearance, performance, measurements and weights are correct at the time of going to press, based on the British Standards for sale and registration in United Kingdom. Some vehicles depicted may not be registrable in all European countries. Your ERIBA dealer will gladly give you information about standard models in your own country and the registration laws. Variations due to manufacturing tolerances are possible and allowed. ERIBA reserves the right to make changes in design or technical improvements without prior notice.



ERIBA-TOURING 2005



ERIBA
A Product of the HYMER Group

Konzeption und Gestaltung: www.hymmer.de 09/2004/21500 GB

ERIBA-TOURING

The extraordinary attraction of this legendary range is based upon the unusual. Concept: stability, compact, low profile, perfectly aerodynamic and superb towing characteristics. The unique construction principle of the tubular steel frame structure that makes up the skeleton of the ERIBA Touring caravans has proved itself over the decades.

The elevating roof design, lowered for touring, ensures the caravans low profile and unrivalled road holding qualities.



Spare wheel cover shown throughout this catalogue is an optional extra.






Eriba - Touring presents you the wonder of space utilization in providing its occupants with elegant comfort in every detail.



ERIBA-TOURING

A generous habitation in a petit space: furniture and décor accentuate the comfort and functionality of this unique design.

Are you persuaded ?



The Puck L 230GT featured below shows its practical L shaped kitchen arrangement together with the comfortable dinette that is spacious and very functional.

Fabric shown is for illustration purposes only - not for UK models, see page 8 for upholstery options.



ERIBA-TOURING

One construction standard prevails in all the design and features, the love of detail in providing a functional and comfortable environment for which the most discerning owner will appreciate.




Grand style for a table that is not only elegant, but very practical in use.

For those moments when the very useable washroom provides the convenience of your own home.



Small in execution yet generous in use, the vanity area offers practicality in its spacious layout.

An upholstery of your choice:



Stockholm



Avignon



Whatever model you choose in the Eriba - Touring range, all are individual and practical, offering you choice in the model that suits you best, from the Puck 120 GT through to the Troll 555 GT.

Nothing is superfluous in the execution of its practical design which offers functional use with premium quality.

Shown below is the Troll 552 GT offering you the comfort of a fixed bed together with a dinette area giving you the best of both world's.

Fabric shown is for illustration purposes only - not for UK models, see above.

ERIBA-TOURING

The Eriba - Touring is no amateur, but an individual with experience expressed in the technology throughout which manifests itself in the attention to all the details that have been addressed in its design.



The combination of good design and quality bringing together the best in creating the ambiance for your enjoyment.



Indeed ... Not Like Any Other!


Forty-five years ago the first ERIBA caravan was conceived, built around a revolutionary concept and perfected by an aeronautics engineer. The tubular steel frame structure (as shown opposite) which makes up the skeleton of an ERIBA Touring caravan, has proved itself over the decades. It is yet to be superseded as one of the best solutions ever designed to give rigidity to the whole unit.

This unique design element allows for an aerodynamic shape but also an optimum weight ratio. This gives every ERIBA Touring caravan incomparable road holding properties.

The tubular steel frame structure is insulated to ensure no cold spots to attract condensation on the inner panel, and is used to mount all the furniture inside the caravan, as well as an anchor point for any external accessories which are to be fixed to the caravan. This ensures a very long life. There are enough veteran ERIBA's still on the road today to prove it!

Shown to the right is an exterior view of the Puck 120 GT, featuring the tow bar fairing, front panel stone guard and alloy wheels present on all Touring GT models.

The exterior of the GT models combines beautifully with the interiors in which the smart, smooth, curved furniture is presented in pear wood décor.





































Unrivalled aerodynamics combined with low weight and a low centre of gravity give the ERIBA remarkable road holding and manoeuvrability.



The integral gas bottle locker is a feature of all the Touring models.





1200 kg M. T. P. L. M - Gross Laden Weight

() Bets

471 Exterior dimensions - cm

Specifications and Layouts given are for standard models please consult your Eriba dealer for exact details.

Technical Data: Eriba-Touring



* The Mass in Running Order (MRO) indicated is as per EN 1646 - 2 based on a standard version model and are given for illustration purposes only.
Actual specification varies depending on the model chosen.
Full details are available from your Eriba dealer relating to your chosen model.

MRO* Mass in running order in kg includes the weight of a gas cylinder and a fresh water tank both to 90 % of their capacity (This has been equated to 30 kg).

	Puck 120	Puck 120 GT	Puck L 225 GT	Puck L 230 GT	Familia 310 GT	Familia 320 GT	Familia 410 GT
Shipping Length	cm	409	409	460	460	460	518
Body Length	cm	320	320	355	355	362	421
External Width	cm	165	165	180	180	200	200
External Height (Roof Lowered)	cm	205	205	212	212	220	220
Internal Length	cm	315	315	350	350	357	416
Internal Width	cm	155	155	170	170	190	190
Max. Headroom (Roof Raised)	cm	183	183	187	187	187	187
Unladen Weight	Kg	470	480	620 / (O) 630	630 / (O) 640	680	700
*M.R.O. - Mass In Running Order	Kg	500	510	650 / (O) 660	660 / (O) 670	710	730
MTPLM - Max.Tech. Permissible Lads Mass	Kg	650	650	750 / (O) 850	750 / (O) 850	850 / (O) 900	900
Pay Load Allowance	Kg	150	140	100 / (O) 190	90 / (O) 180	140 / (O) 190	170
Axle		Single	Single	Single	Single	Single	Single
Tyre Size		135R13 70T	155R13 79T	155R13 79 T	155R13 79 T	165R13 82 T	195/70R14 91 T
Max. Permissible Nose Weight	Kg	75	75	75	75	75	100
Polystyrene Floor Insulation	mm	25	25	25	25	35	35
Polystyrene Wall/Roof Insulation	mm	25	25	25	25	25	25
Detaching Roof with Ventilation + Flyscreen		S	S	S	S	S	S
Berths	No.	2	2	2	2	3 / BB 4	3 / BB 4
Front Bed Size l x w	cm	-	-	197/190 x 170	190/193 x 170	188 x 70	188 x 70
Middle Bed Size l x w	cm	-	-	-	-	-	-
Rear Bed Size l x w	cm	177/194 x 150	177/194 x 150	-	-	185 x 140	197/190 x 188
Dual Bed Arrangement	cm	-	-	-	-	-	2 x 197 x 75
Optional Permanent Front Bunk Bed(s) l x w	cm	-	-	-	-	170/185 x 185/190/170	170/185 x 185/190/170
Maximum Weight Permanent Bunk Beds	Kg	-	-	-	-	40	40
Toilet Compartment c/w Cassette Toilet l x w	cm	-	-	-	-	100 x 73/68	-
Optional Fold Out Wash Room (FW) l x w	cm	-	-	-	-	-	-
Wardrobe l x h x w	cm	47 x 100 x 45	47 x 100 x 45	55 x 90 x 51	56 x 92 x 48	51,5 x 117 x 51	51,5 x 117 x 51
Windows / Opening Windows	No.	4 / 4	4 / 4	5 / 5	6 / 6	6 / 6	6 / 6
Cassette Blinds and Flyscreens	S	S	S	S	S	S	S
3 Way Electrolux Fridge	Ltr	60	60	60	70	70	70
Stainless Steel Hob Burners	No.	2	2	2	2	3	3
On Board Water Container(s)	Ltr	13	13	13	13	16	13
12Volt Pump(s) System	S	S	S	S	S	S	S
Truma Gas Flued Heater c/w Auto Ignition	O	O	S	S	S	S	S
12Volt Halogen Lights	No.	3	3	4	5	3 / BB 4 / PB 4	5 / BB 6
UK 3 Pin 240Volt Sockets	No.	2	2	2	2	3 / BB 2 / PB 2	3 / BB 2
12 Volt Sockets	No.	2	2	2	2	2	2

S = Standard O = Optional - = Not Applicable

PB = Permanent Bed DB = Dual Bed BB = Bunk Beds FW = Fold Out Washroom

	Triton 418 GT	Triton 420 GT	Triton 430 GT	Troll 530 GT	Troll 540 GT	Troll 550 GT	Troll 552 GT	Troll 555 GT	Troll 555 GTL
Shipping Length	cm	518	518	518	568	568	568	568	568
Body Length	cm	421	421	421	471	471	471	471	471
External Width	cm	200	200	200	200	200	210	210	210
External Height (Roof Lowered)	cm	220	220	220	220	220	220	220	220
Internal Length	cm	416	416	416	466	466	466	466	466
Internal Width	cm	190	190	190	190	190	200	200	200
Max. Headroom (Roof Raised)	cm	187	187	187	187	187	187	187	187
Unladen Weight	Kg	770	800	800	870	910	930	930	935
*M.R.O. - Mass In Running Order	Kg	800	830	830	900	940	960	965	965
MTPLM - Max.Tech. Permissible Lads Mass	Kg	1200	1200	1200	1200	1200	1200	1200	1200
Pay Load Allowance	Kg	400	370	370	300	260	240	235	235
Axle		Single	Single	Single	Single	Single	Single	Single	Single
Tyre Size		195/70R14 91 T	195/70R14 91 T	195/70R14 91 T	195/70R14 91 T	195/70R14 91 T	195/70R14 91 T	195/70R14 91 T	195/70R14 91 T
Max. Permissible Nose Weight	Kg	100	100	100	100	100	100	100	100
Polystyrene Floor Insulation	mm	35	35	35	35	35	35	35	35
Polystyrene Wall/Roof Insulation	mm	25	25	25	25	25	25	25	25
Detaching Roof with Ventilation + Flyscreen		S	S	S	S	S	S	S	S
Berths	No.	4	2	3 / BB 4	4	3 / BB 4	4	4	3
Front Bed Size l x w	cm	188 x 120	-	188 x 70	188 x 93	188 x 70	-	-	195 x 60/50
Middle Bed Size l x w	cm	-	-	-	-	-	180 x 120	160 x 90	180 x 120/195 x 63/50
Rear Bed Size l x w	cm	188 x 140/147	197/190 x 188	188 x 140/147	188 x 140/147	190/197 x 188	195 x 140	195 x 140	195 x 140
Dual Bed Arrangement	cm	-	2 x 197 x 75	-	-	2 x 197 x 75	-	-	-
Optional Permanent Front Bunk Bed(s) l x w	cm	-	-	170/185 x 185/190/170	-	170/185 x 185/190/170	-	-	-
Maximum Weight Permanent Bunk Beds	Kg	-	-	40	-	40	-	-	-
Toilet Compartment c/w Cassette Toilet l x w	cm	-	100 x 73/68	100 x 73/68	100 x 73/68	100 x 73/68	100 x 73/68	100 x 73/68	100 x 73/68
Optional Fold Out Wash Room (FW) l x w	cm	-	-	100 x 42	100 x 42	100 x 42	-	-	-
Wardrobe l x h x w	cm	54 x 117 x 51	54 x 117 x 51	54 x 117 x 51	54 x 117 x 51	54 x 117 x 51	53 x 117 x 40	53 x 100 x 52	52 x 117 x 51
Windows / Opening Windows	No.	6 / 6	6 / 6	7/7 - FW 6/6	7/7 - 0 8/8 - FW 6/6	7/7 - FW 6/6	8/8 - PB 7/7	7/7 - PB 6/6	8/8 - PB 7/7
Cassette Blinds and Flyscreens	S	S	S	S	S	S	S	S	S
3 Way Electrolux Fridge	Ltr	70	70	70	70	70	70	70	70
Stainless Steel Hob Burners	No.	3	3	3	3	3	3	3	3
On Board Water Container(s)	Ltr	13	16	2 x 13	2 x 13	2 x 13	2 x 13	2 x 13	2 x 13
12Volt Pump(s) System	S	S	S	S	S	S	S	S	S
Truma Gas Flued Heater c/w Auto Ignition	S	S	S	S	S	S	S	S	S
12Volt Halogen Lights	No.	3 / PB 4	5	4 / BB 5 / PB 5	4 / PB 5	6 / BB 7	5 / PB 6	5 / PB 6	6 / PB 7
UK 3 Pin 240Volt Sockets	No.	3 / PB 2	4	4 / BB 3 / PB 3	4 / PB 3	4 / BB 3	4 / PB 3	4 / PB 3	4 / PB 3
12 Volt Sockets	No.	2	3	2	2	2	2	2	2

S = Standard O = Optional - = Not Applicable

PB = Permanent Bed DB = Dual Bed BB = Bunk Beds FW = Fold Out Washroom